L Number	Hits	Search Text	DB	Time stamp
-	125	$10wanIT.xa. $10wanet.xa. $10wanit.xp.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:32
-	20	6154771.URPN.	USPAT	2004/02/23 13:14
-	25	("5684715" | "5760767" | "5801685" | "5809512" | "5850352" | "5861880" | "5862260" | "5893053" | "5903892" | "5918012" | "5929850" | "5936679" | "5961603" | "5966121" | "5970473" | "5974219" | "6002401" | "6006241" | "6006265" | "6009236" | "6025837" | "6025886" | "6026433" | "6058141" | "6061054").PN.	USPAT	2004/02/23 13:25
-	67	((impos$3 superimpos$3) with (user subscriber) near3 (image icon information) with (video)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 12:11
-	4	((encod$3 embed$3) with (user subscriber) near3 (image icon information) with (video near frame)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 12:11
-	5	((encod$3 embed$3) with (user subscriber) near3 (image icon information) with (video near frame)) and (@ad < 20000921 @rlad < 20000921)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 12:11
-	68	((impos$3 superimpos$3) with (user subscriber) near3 (image icon information) with (video)) and (@ad < 20000921 @rlad < 20000921)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 12:14
-	9	((($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 TARGET GATEWAY INTERMEDIA$5 RELAY DESTINAT$3 CLIENT) near2 (list))) with XML) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 08:36
-	10	((($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 TARGET GATEWAY INTERMEDIA$5 RELAY DESTINAT$3 CLIENT) near2 (list))) with XML) and (@ad < 20000921 @rlad < 20000921)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 08:14
-	104	(($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 TARGET GATEWAY INTERMEDIA$5 RELAY DESTINAT$3 CLIENT) near2 (list))) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 08:17
-	84	(($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 DESTINAT$3 CLIENT) near2 (list))) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 08:38

-		83	(((($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 DESTINAT$3 CLIENT) near2 (list))) and (@ad < 20000419 @rlad < 20000419)) not (((($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 TARGET GATEWAY INTERMEDIA$5 RELAY DESTINAT$3 CLIENT) near2 (list))) with XML) (((($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 TARGET GATEWAY INTERMEDIA$5 RELAY DESTINAT$3 CLIENT) near2 (list))) with XML) and (@ad < 20000419 @rlad < 20000419)) (((($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 TARGET GATEWAY INTERMEDIA$5 RELAY DESTINAT$3 CLIENT) near2 (list))) with XML) and (@ad < 20000921 @rlad < 20000921)) (((($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT REcEIV$3 TARGET GATEWAY INTERMEDIA$5 RELAY DESTINAT$3 CLIENT) near2 (list))) same XML))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 08:36
-		4	(((($3ML (MARK adj UP) markup SCRIPT) WITH ((RECEIPIENT user REcEIV$3 DESTINAT$3 CLIENT) near2 (list))) with XML) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 08:44
-		375	(((($3ML (MARK adj UP) markup SCRIPT) near3 ((RECEIPIENT REcEIV$3 user DESTINAT$3 CLIENT))) with XML) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 08:52
-		36	((icon with appliance) and (lan intranet)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:18
-		11	((Home adj network) near3 (menu icon)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:38
-		11	(((Home adj network) near3 (menu icon)) (((Home adj network) near3 (menu icon)) and (@ad < 20000419 @rlad < 20000419))) and (lan intranet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:35
-		22	((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:39
-		6	(((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:43
-		15	((((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) same ((home adj network) LAN intranet)) (((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and (@ad < 20000419 @rlad < 20000419)) (((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) ((((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad < 20000419 @rlad < 20000419)) (((((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad < 20000419 @rlad < 20000419)) and (LAN intranet))) and icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:47

-		10	(((((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) same ((home adj network) LAN intranet)) ((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and (@ad < 20000419 @rlad < 20000419)) (((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) (((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad < 20000419 @rlad < 20000419)) ((((((ISP (service adj provider)) same (service near (list menu))) same (icon link)) and set adj top) and (@ad < 20000419 @rlad < 20000419)) and (LAN intranet)) and icon) and ((menu list) near3 service)) and (LAN intranet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 17:48
-		27	(intranet adj page) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 08:28
-		9	(intranet near3 homepage) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 08:49
-		13	(intranet with homepage) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 08:55
-		1287	(715/513).CCLS.	USPAT; US-PGPUB	2004/03/02 09:22
-		748	((715/513).CCLS.) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:35
-		256	(((715/513).CCLS.) and (@ad < 20000419 @rlad < 20000419)) and intranet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 09:23
-		37	page near5 (online adj service)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 10:00
-		18	(page near5 (online adj service)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 10:38
-		3	((webpage homepage ((web home) adj page)) with ((menu list) near2 service)) same (intranet LAN internal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 10:05
-		3	(((webpage homepage ((web home) adj page)) with ((menu list) near2 service)) same (intranet LAN internal)) and (icon menu list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 10:08
-		69	((webpage homepage ((web home) adj page)) with ((menu list) near2 service)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 10:18

-	76	(((Html gui (web adj page) webpage homepage (service adj3 page) home page browser) with (icon menu list)) with intranet) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 10:38
-	0	tonardo near (cod$3 encod$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:20
-	24	tornado near (cod$3 encod$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:42
-	2217	tornado	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:38
-	12	tornado and luby.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:27
-	1168	tornado and (@pd < 20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:42
-	78	tornado with (((back adj up) backup archiv$3) cod$3 encod$3 decod$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:40
-	12	(tornado with (((back adj up) backup archiv$3) cod$3 encod$3 decod$3)) and (@pd < 20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:40
-	30	tornado near3 (cod$3 encod$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:42
-	0	(tornado near3 (cod$3 encod$3)) and (@pd < 20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:44
-	172	(tornado and (@pd < 20000602)) and cod$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:43
-	85	((tornado and (@pd < 20000602)) and cod$3) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:44

-	2384281	cod$3 encod$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:44
-	127	(cod$3 encod$3) same tornado	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:46
-	33	((cod$3 encod$3) same tornado) and (@pd < 20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:48
-	21	((cod$3 encod$3) same tornado) same computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:45
-	1	(((cod$3 encod$3) same tornado) same computer) and (@pd < 20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:46
-	73	(cod$3 encod$3) with tornado	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:46
-	55	((cod$3 encod$3) with tornado) and (computer backup back arhiv$3 verification verify$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:46
-	5	(((cod$3 encod$3) with tornado) and (computer backup back arhiv$3 verification verify$3)) and (@pd < 20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:47
-	85	(((tornado and (@pd < 20000602)) and cod$3) and computer) and (@pd < 20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 12:48
-	6	(("20020107877") or ("20020049778") or ("6629150")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:43
-	3	((("20020107877") or ("20020049778") or ("6629150")).PN.) and compress$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:44
-	5	((("20020107877") or ("20020049778") or ("6629150")).PN.) and (encrypt$3 hash$3 back compress$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:03

-	2	(((("20020107877") or ("20020049778") or ("6629150")).PN.) and hash$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:48
-	2	(((("20020107877") or ("20020049778") or ("6629150")).PN.) and encrypt$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:49
-	5	((((("20020107877") or ("20020049778") or ("6629150")).PN.) and compress$3) ((((("20020107877") or ("20020049778") or ("6629150")).PN.) and (encrypt$3 hash$3 back compress$3)) ((((("20020107877") or ("20020049778") or ("6629150")).PN.) and encrypt$3) ((((("20020107877") or ("20020049778") or ("6629150")).PN.) and hash$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 16:49
:	1	(((("20020107877") or ("20020049778") or ("6629150")).PN.) and restor$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 17:03
-	63868	(file chunk group) near3 (transmi$4 transfer$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:28
-	356	((file chunk group) near3 (transmi$4 transfer$3)) and mover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:15
-	53	((file chunk group) near3 (transmi$4 transfer$3)) same mover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:11
-	25	((file chunk group) near3 (transmi$4 transfer$3)) with mover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:11
-	4	(((file chunk group) near3 (transmi$4 transfer$3)) with mover) same (decid$3 determin$3 analyz$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:12
-	3	((((file chunk group) near3 (transmi$4 transfer$3)) with mover) same (decid$3 determin$3 analyz$3)) and (@ad < 20000201 @rlad < 20000201)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:15
-	424	(chunk) near3 (transmi$4 transfer$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:14
-	2	(((file chunk group) near3 (transmi$4 transfer$3)) with mover) with (decid$3 determin$3 analyz$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:15

-		1	((((file chunk group) near3 (transmi$4 transfer$3)) with mover) with (decid$3 determin$3 analyz$3)) and (@ad < 20000201 @rlad < 20000201)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:15
-		28	((chunk) near3 (transmi$4 transfer$3)) with (decid$3 determin$3 analyz$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:15
-		0	((((chunk) near3 (transmi$4 transfer$3)) with (decid$3 determin$3 analyz$3)) and (@ad < 20000201 @rlad < 20000201)) and mover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:16
-		24	(((chunk) near3 (transmi$4 transfer$3)) with (decid$3 determin$3 analyz$3)) and (@ad < 20000201 @rlad < 20000201)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:31
-		730	((segment fragment chunk) near3 (analyz$3 determine specify$3 decid$3)) with (send$3 transmi$4 transfer$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:30
-		0	(((segment fragment chunk) near3 (analyz$3 determine specify$3 decid$3)) with (send$3 transmi$4 transfer$3)) same (data adj mover)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:30
-		25	(((segment fragment chunk) near3 (analyz$3 determine specify$3 decid$3)) with (send$3 transmi$4 transfer$3)) same mov$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:31
-		19	((((segment fragment chunk) near3 (analyz$3 determine specify$3 decid$3)) with (send$3 transmi$4 transfer$3)) same mov$3) and (@ad < 20000201 @rlad < 20000201)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 15:31
-		199755	watermark$3 superimpos$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:11
-		446398	(member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:11
-		1197474	watermark$3 $5impos$3 encod$3 embed$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:12
-		24952	((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) same (watermark$3 $5impos$3 encod$3 embed$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:14

-	1201	(((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) same (watermark$3 $5impos$3 encod$3 embed$4)) same frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:14
-	882	((((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) same (watermark$3 $5impos$3 encod$3 embed$4)) same frame) and (@ad<20000419 @rlad<20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:14
-	10944	((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) with (watermark$3 $5impos$3 encod$3 embed$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:14
-	429	(((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) with (watermark$3 $5impos$3 encod$3 embed$4)) same frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:14
-	313	((((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) with (watermark$3 $5impos$3 encod$3 embed$4)) same frame) and (@ad<20000419 @rlad<20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:15
-	22	(((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) with (watermark$3 $5impos$3 encod$3 embed$4)) same (video adj frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:15
-	15	((((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) with (watermark$3 $5impos$3 encod$3 embed$4)) same (video adj frame)) and (@ad<20000419 @rlad<20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 12:21
-	2	6701357.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 08:38
-	15	((((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number icon telephone pager)) with (watermark$3 $5impos$3 encod$3 embed$4)) same (video adj frame)) and (@ad<20000921 @rlad<20000921)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 12:37
-	80	(request near3 (embed$3 encod$3)) with ((member$4 subscrib$3 user client customer) near3 (id identif$6 name account information number)) and (@ad<20000921 @rlad<20000921)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:36
-	42348	request near3 (embed$4 encod$3 includ$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:38
-	247087	(user memeber subscriber client customer) near3 (id identif%6 information name account)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:40

-	1900391	proxy gateway middle intermedia$ (local adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:42
-	3736418	media content file audio video	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:42
-	3219	(request near3 (embed$4 encod$3 includ$3)) with ((user memeber subscriber client customer) near3 (id identif%6 information name account))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:42
-	801	(media content file audio video) same ((request near3 (embed$4 encod$3 includ$3)) with ((user memeber subscriber client customer) near3 (id identif%6 information name account)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:42
-	52	((media content file audio video) same ((request near3 (embed$4 encod$3 includ$3)) with ((user memeber subscriber client customer) near3 (id identif%6 information name account)))) same (proxy gateway middle intermedia$ (local adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:43
-	6	(((media content file audio video) same ((request near3 (embed$4 encod$3 includ$3)) with ((user memeber subscriber client customer) near3 (id identif%6 information name account)))) same (proxy gateway middle intermedia$ (local adj server))) and (@ad<2000921 @rlad<20000921)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:44
-	142	((media content file audio video) same ((request near3 (embed$4 encod$3 includ$3)) with ((user memeber subscriber client customer) near3 (id identif%6 information name account)))) and (@ad<2000921 @rlad<20000921)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:45
-	58895	proxy gateway (local adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:32
-	10238	(proxy gateway (local adj server)) with request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:33
-	9092	(proxy gateway (local adj server)) with stor$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:33
-	1784	(proxy gateway (local adj server)) with ((user customer client subscriber member) near2 (id identifier identification name account))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:45
-	107	(proxy gateway (local adj server)) same ((proxy gateway (local adj server)) with request) same ((proxy gateway (local adj server)) with stor$3) same ((proxy gateway (local adj server)) with ((user customer client subscriber member) near2 (id identifier identification name account)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:35

-	39	((proxy gateway (local adj server)) same ((proxy gateway (local adj server)) with request) same ((proxy gateway (local adj server)) with stor$3) same ((proxy gateway (local adj server)) with ((user customer client subscriber member) near2 (id identifier identification name account)))) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:30
-	38	shambroom.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:28
-	9155	remote adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:28
-	124174	client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:28
-	458	(proxy gateway (local adj server)) same (remote adj server) same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:28
-	170	((proxy gateway (local adj server)) same (remote adj server) same client) same ((proxy gateway (local adj server)) with request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:29
-	68	(((proxy gateway (local adj server)) same (remote adj server) same client) same ((proxy gateway (local adj server)) with request)) same ((proxy gateway (local adj server)) with stor$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:29
-	2	((((proxy gateway (local adj server)) same (remote adj server) same client) same ((proxy gateway (local adj server)) with request)) same ((proxy gateway (local adj server)) with stor$3)) same ((user customer client subscriber member) near2 (id identifier identification name account))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:30
-	41	((((proxy gateway (local adj server)) same (remote adj server) same client) same ((proxy gateway (local adj server)) with request)) same ((proxy gateway (local adj server)) with stor$3)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:42
-	87	(transmit$3 near3 request) with (remote adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:42
-	39	((transmit$3 near3 request) with (remote adj server)) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:58
-	187	multitier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:57

-	138	multitier and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 10:00
-	4585	(709/203).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 10:00
-	2503	((709/203).CCLS.) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:47
-	59046	user near3 (id name account)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:45
-	99798	(encod$3 embed$3 append$3) near3 (content information video audio)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:46
-	705	(user near3 (id name account)) same ((encod$3 embed$3 append$3) near3 (content information video audio))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:46
-	289	(user near3 (id name account)) with ((encod$3 embed$3 append$3) near3 (content information video audio))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:46
-	158	((user near3 (id name account)) with ((encod$3 embed$3 append$3) near3 (content information video audio))) and (@ad < 20000419 @rlad < 20000419)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:47